

SECRET

25X1

IDRA-0284-67  
Copy 8 of 8

27 April 1967

MEMORANDUM FOR: Director of Special Activities

SUBJECT: Data Readout Facility for [REDACTED]  
Tests on U-2R

25X1

REFERENCE: [REDACTED], 18 April 1967, Subject:  
Same as Above

25X1A

1. The purpose of the facility and the equipment required to do the proposed testing and data reduction are delineated in the referenced memorandum.

2. Availability of space at the present facility (North Base) is almost non-existent, therefore, the proposed 20'X20' room required would have to be constructed as a separate building. The estimated cost of a building this size is about [REDACTED] A 10'X50' trailer could be available in late July 1967 and should provide ample space for the proposed facility. The cost of converting the trailer into a test and storage facility is not known at this time, but will definitely be less than constructing a new building.

25X1

3. Although primary power is presently available at North Base, ASD/OEL should plan on supplying a 28VDC power cart (AC/DC Converter) as part of their ground support equipment.

4. It is intended that ASD/OEL will assign one technical man to head the facility. This individual will be operationally and administratively responsible to the DCM (Deputy Commander Materiel) at Detachment G. The primary function of this individual will be to coordinate all tests on prototype systems and keep ASD/OEL posted on the test results.

25X1A

SECRET

25X1A

25X1

SECRET

25X1

IDEA-0284-67  
page 2

25X1A

AVD/M/OSA/ [redacted] let (27 Apr 67)  
Distribution:

- #1 - D/SA
- #2 - D/O/OSA
- #3 - D/M/OSA
- #4 - D/R&D/OSA
- #5 - IDEA/O/OSA
- #6 - COMPT/OSA
- #7 - D/M/OSA (Chrono)
- #8 - RB/OSA

25X1A

SECRET

25X1